

**Suffix**<sup>®</sup>

INDEX



# NEW PRODUCTS 2023



91 BRAID



LA BESTIA



ADVANCE FLUOROCARBON



EGI X8 BRAID



# BRAIDS

## BRAIDED LINE

### X8 BRAID

Sufix x8 is a round, easy to handle and silky-smooth Japanese-style braided line. It has an 8-carrier construction of thin HMPE fibers making it a super strong, thin line with high abrasion-resistance and superb knot and shock strength. The R8 Precision Braiding technology with a high-tension weaving process gives this line its distinct supple and smooth qualities that have consistent diameter and quality plus an excellent strength to diameter ratio. The materials and construction mean that the line has low friction when passing through the rod guides. This results in silent performance and long, accurate casts. Sufix x8 is designed for both casting and spinning reels. It is a great option for smaller lures, light soft plastics (jigging), perch, trout, rainbow trout and finesse fishing.


- 8-carrier construction (thin HMPE fibers)
- R8 Precision Braiding technology
- Round and smooth braided line
- Excellent strength to diameter ratio



STEALTH GREEN



COASTAL CAMO



MULTI



NEON CHARTREUSE

Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU640430	150 m	0,104 mm	5 Kg / 11 Lbs	STEALTH GREEN	x1	024777714281
ASU640429	150 m	0,128 mm	6,9 Kg / 15 Lbs	STEALTH GREEN	x1	024777714274
ASU640431	150 m	0,148 mm	7,5 Kg / 17 Lbs	STEALTH GREEN	x1	024777714298
ASU640432	150 m	0,165 mm	10,5 Kg / 23 Lbs	STEALTH GREEN	x1	024777714304
ASU640433	150 m	0,185 mm	15,5 Kg / 35 Lbs	STEALTH GREEN	x1	024777714311
ASU640434	150 m	0,205 mm	17,5 Kg / 39 Lbs	STEALTH GREEN	x1	024777714328
ASU640435	150 m	0,235 mm	20 Kg / 44 Lbs	STEALTH GREEN	x1	024777714335
ASU640443	300 m	0,148 mm	7,5 Kg / 17 Lbs	STEALTH GREEN	x1	024777714731
ASU640444	300 m	0,165 mm	10,5 Kg / 23 Lbs	STEALTH GREEN	x1	024777714748
ASU640445	300 m	0,185 mm	15,5 Kg / 35 Lbs	STEALTH GREEN	x1	024777714755
ASU640446	300 m	0,205 mm	17,5 Kg / 39 Lbs	STEALTH GREEN	x1	024777714762
ASU640447	300 m	0,235 mm	20 Kg / 44 Lbs	STEALTH GREEN	x1	024777714779
ASU640448	300 m	0,285 mm	22,5 Kg / 50 Lbs	STEALTH GREEN	x1	024777714786
ASU640488	150 m	0,104 mm	5 Kg / 11 Lbs	COASTAL CAMO	x1	024777718746
ASU640475	150 m	0,128 mm	6,9 Kg / 15 Lbs	COASTAL CAMO	x1	024777718753
ASU640476	150 m	0,148 mm	7,5 Kg / 17 Lbs	COASTAL CAMO	x1	024777718760
ASU640477	150 m	0,165 mm	10,5 Kg / 23 Lbs	COASTAL CAMO	x1	024777718777
ASU640478	150 m	0,185 mm	15,5 Kg / 35 Lbs	COASTAL CAMO	x1	024777718784
ASU640479	150 m	0,205 mm	17,5 Kg / 39 Lbs	COASTAL CAMO	x1	024777718791
ASU640480	150 m	0,235 mm	20 Kg / 44 Lbs	COASTAL CAMO	x1	024777718579
ASU640481	300 m	0,285 mm	22,5 Kg / 50 Lbs	COASTAL CAMO	x1	024777718586
ASU640482	300 m	0,330 mm	26,5 Kg / 60 Lbs	COASTAL CAMO	x1	024777718593
ASU640467	1000 m	0,235 mm	20 Kg / 44 Lbs	MULTI	x1	024777718449
ASU640468	1000 m	0,285 mm	22,5 Kg / 50 Lbs	MULTI	x1	024777718456
ASU640469	1000 m	0,330 mm	26,5 Kg / 60 Lbs	MULTI	x1	024777718463
ASU640470	300 m	0,235 mm	20 Kg / 44 Lbs	MULTI	x1	024777718494
ASU640471	300 m	0,285 mm	22,5 Kg / 50 Lbs	MULTI	x1	024777718500
ASU640472	300 m	0,330 mm	26,5 Kg / 60 Lbs	MULTI	x1	024777718517
ASU640473	300 m	0,104 mm	5 Kg / 11 Lbs	MULTI	x1	024777718470
ASU640474	300 m	0,128 mm	6,9 Kg / 15 Lbs	MULTI	x1	024777718487
ASU640520	300 m	0,148 mm	7,5 Kg / 17 Lbs	MULTI	x1	024777718678
ASU640521	300 m	0,165 mm	10,5 Kg / 23 Lbs	MULTI	x1	024777718685
ASU640522	300 m	0,185 mm	15,5 Kg / 35 Lbs	MULTI	x1	024777718692
ASU640523	300 m	0,205 mm	17,5 Kg / 39 Lbs	MULTI	x1	024777718708
ASU640770	300 m	0,165 mm	10,5 Kg / 23 Lbs	COASTAL CAMO	x1	024777718548

Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU640771	300 m	0,185 mm	15,5 Kg / 35 Lbs	COASTAL CAMO	x1	024777718555
ASU640772	300 m	0,205 mm	17,5 Kg / 39 Lbs	COASTAL CAMO	x1	024777718562
ASU640774	450 m	0,235 mm	20 Kg / 44 Lbs	MULTI	x1	024777719439
ASU640775	450 m	0,285 mm	22,5 Kg / 50 Lbs	MULTI	x1	024777719446
ASU640776	450 m	0,330 mm	26,5 Kg / 60 Lbs	MULTI	x1	024777719453
ASU640677	150 m	0,104 mm	5 Kg / 11 Lbs	NEON CHARTREUSE	x1	024777729520
ASU640678	150 m	0,128 mm	6,9 Kg / 15 Lbs	NEON CHARTREUSE	x1	024777729537
ASU640679	150 m	0,148 mm	7,5 Kg / 17 Lbs	NEON CHARTREUSE	x1	024777729544
ASU640680	150 m	0,165 mm	10,5 Kg / 23 Lbs	NEON CHARTREUSE	x1	024777729568
ASU640681	150 m	0,185 mm	15,5 Kg / 35 Lbs	NEON CHARTREUSE	x1	024777729582
ASU640682	150 m	0,205 mm	17,5 Kg / 39 Lbs	NEON CHARTREUSE	x1	024777729605
ASU640683	150 m	0,235 mm	20 Kg / 44 Lbs	NEON CHARTREUSE	x1	024777729629
ASU640684	300 m	0,148 mm	7,5 Kg / 17 Lbs	NEON CHARTREUSE	x1	024777729551
ASU640685	300 m	0,165 mm	10,5 Kg / 23 Lbs	NEON CHARTREUSE	x1	024777729575
ASU640686	300 m	0,185 mm	15,5 Kg / 35 Lbs	NEON CHARTREUSE	x1	024777729599
ASU640687	300 m	0,205 mm	17,5 Kg / 39 Lbs	NEON CHARTREUSE	x1	024777729612
ASU640688	300 m	0,235 mm	20 Kg / 44 Lbs	NEON CHARTREUSE	x1	024777729636
ASU640689	300 m	0,285 mm	22,5 Kg / 50 Lbs	NEON CHARTREUSE	x1	024777729643
ASU640690	300 m	0,330 mm	26,5 Kg / 60 Lbs	NEON CHARTREUSE	x1	024777729650

**BRAIDED LINE**

**Egi X8**

Developed for squid fishing, the Egi X8 is made with R8 Precision Braiding technology, resulting in a round line with a remarkable strength-to-diameter ratio. Consisting of 8 Dyneema® fibers for ultimate roundness, the braided Egi X8 offers long and accurate casts and high abrasion resistance.

- Built with 8 Fibers (Dyneema® Fibers)
- High Strength-to-Diameter Ratio
- Smooth & Silky Soft



NEON CHARTREUSE

**NEW**



**NEW**


Product Number	Length	Size	Strength	Color	Pack	Barcode
● <b>ASU640833</b>	150m	0.128MM	6.9KG 15LB	NEON CHARTREUSE	x1	024777736122
● <b>ASU640834</b>	150m	0.148MM	7.5KG 17LB	NEON CHARTREUSE	x1	024777736139
● <b>ASU640835</b>	150m	0.165MM	10.5KG 23LB	NEON CHARTREUSE	x1	024777736146

**BRAIDED LINE**

**91 BRAID**

The Suffix 91 G-Core continues Suffix's range of braid lines with ultra-reliable performance when casting and fighting the fish. With an abrasion-resistant GORE® Performance Fiber in the core and 8 precision-braided UHMPE fibers surrounding it, the 91 G-Core's 9-carrier construction results in low stretch, better knot tying, and stronger holding power. The silky smooth 91 G-Core's super-slick coating allows for long casting distance and superior sinking ratio.

- Built with 9 Fibers (8 UHMPE Fibers + 1 GORE® Performance Fiber in Core)
- Superior Sinking Ratio & Roundness
- Super-Slick Coating
- Low-Stretch



LO VIS GREEN

**NEW**



NEON CHARTREUSE

**NEW**



**NEW**

**Suffix**  
BRAIDED LINE  
COLLECTION

Product Number	Length	Size	Strength	Color	Pack	Barcode
● ASU640786	150m	0.104MM	4.9KG 11LB	LO VIS GREEN	x1	024777735576
● ASU640787	150m	0.128MM	6.3KG 14LB	LO VIS GREEN	x1	024777735606
● ASU640788	150m	0.148MM	7.2KG 16LB	LO VIS GREEN	x1	024777735644
● ASU640789	150m	0.165MM	8.1KG 18LB	LO VIS GREEN	x1	024777735682
● ASU640790	150m	0.185MM	9.5KG 21LB	LO VIS GREEN	x1	024777735729
● ASU640791	150m	0.205MM	11.3KG 25LB	LO VIS GREEN	x1	024777735767
● ASU640792	150m	0.235MM	14.5KG 32LB	LO VIS GREEN	x1	024777735804
● ASU640793	150m	0.285MM	20.4KG 45LB	LO VIS GREEN	x1	024777735842
● ASU640794	150m	0.33MM	27.2KG 60LB	LO VIS GREEN	x1	024777735880
● ASU640795	150m	0.37MM	33KG 73LB	LO VIS GREEN	x1	024777735927
● ASU640796	150m	0.405MM	39KG 86LB	LO VIS GREEN	x1	024777735965
● ASU640797	150m	0.47MM	43KG 95LB	LO VIS GREEN	x1	024777736009
● ASU640798	300m	0.128MM	6.3KG 14LB	LO VIS GREEN	x1	024777735613
● ASU640799	300m	0.148MM	7.2KG 16LB	LO VIS GREEN	x1	024777735651
● ASU640800	300m	0.165MM	8.1KG 18LB	LO VIS GREEN	x1	024777735699
● ASU640801	300m	0.185MM	9.5KG 21LB	LO VIS GREEN	x1	024777735736
● ASU640802	300m	0.205MM	11.3KG 25LB	LO VIS GREEN	x1	024777735774
● ASU640803	300m	0.235MM	14.5KG 32LB	LO VIS GREEN	x1	024777735811
● ASU640804	300m	0.285MM	20.4KG 45LB	LO VIS GREEN	x1	024777735859
● ASU640805	300m	0.33MM	27.2KG 60LB	LO VIS GREEN	x1	024777735897
● ASU640806	300m	0.37MM	33KG 73LB	LO VIS GREEN	x1	024777735934
● ASU640807	300m	0.405MM	39KG 86LB	LO VIS GREEN	x1	024777735972
● ASU640808	300m	0.47MM	43KG 95LB	LO VIS GREEN	x1	024777736016
● ASU640809	150m	0.104MM	4.9KG 11LB	NEON CHARTREUSE	x1	024777735569
● ASU640810	150m	0.128MM	6.3KG 14LB	NEON CHARTREUSE	x1	024777735583
● ASU640811	150m	0.148MM	7.2KG 16LB	NEON CHARTREUSE	x1	024777735620
● ASU640812	150m	0.165MM	8.1KG 18LB	NEON CHARTREUSE	x1	024777735668
● ASU640813	150m	0.185MM	9.5KG 21LB	NEON CHARTREUSE	x1	024777735705
● ASU640814	150m	0.205MM	11.3KG 25LB	NEON CHARTREUSE	x1	024777735743
● ASU640815	150m	0.235MM	14.5KG 32LB	NEON CHARTREUSE	x1	024777735781
● ASU640816	150m	0.285MM	20.4KG 45LB	NEON CHARTREUSE	x1	024777735828
● ASU640817	150m	0.33MM	27.2KG 60LB	NEON CHARTREUSE	x1	024777735866
● ASU640818	150m	0.37MM	33KG 73LB	NEON CHARTREUSE	x1	024777735903
● ASU640819	150m	0.405MM	39KG 86LB	NEON CHARTREUSE	x1	024777735941
● ASU640820	150m	0.47MM	43KG 95LB	NEON CHARTREUSE	x1	024777735989
● ASU640821	300m	0.128MM	6.3KG 14LB	NEON CHARTREUSE	x1	024777735590

RED = New 2023

Product Number	Length	Size	Strength	Color	Pack	Barcode
● ASU640822	300m	0.148MM	7.2KG 16LB	NEON CHARTREUSE	x1	024777735637
● ASU640823	300m	0.165MM	8.1KG 18LB	NEON CHARTREUSE	x1	024777735675
● ASU640824	300m	0.185MM	9.5KG 21LB	NEON CHARTREUSE	x1	024777735712
● ASU640825	300m	0.205MM	11.3KG 25LB	NEON CHARTREUSE	x1	024777735750
● ASU640826	300m	0.235MM	14.5KG 32LB	NEON CHARTREUSE	x1	024777735798
● ASU640827	300m	0.285MM	20.4KG 45LB	NEON CHARTREUSE	x1	024777735835
● ASU640828	300m	0.33MM	27.2KG 60LB	NEON CHARTREUSE	x1	024777735873
● ASU640829	300m	0.37MM	33KG 73LB	NEON CHARTREUSE	x1	024777735910
● ASU640830	300m	0.405MM	39KG 86LB	NEON CHARTREUSE	x1	024777735958
● ASU640831	300m	0.47MM	43KG 95LB	NEON CHARTREUSE	x1	024777735996

## BRAIDED LINE

### 131 G-CORE

Sufix 131 G-Core is the most reliable superline during casting, strikes and fighting action! It is built with 13 fibers (12 HMPE fibers + 1 GORE® Performance Fiber in core). A single strand of GORE® Performance Fiber is surrounded by 12 precision braided HMPE fibers. The construction has no weak points which leads to strength consistency. The GORE® Performance Fiber is the most abrasion resistant textile fiber. It is solid and round like a monofilament but has the same low stretch as the PE fibers. No more problems with gliding or knots opening! In addition, the 13-carrier construction increases the number of fibers at the knot resulting in better knot tying and stronger holding power. The structure of the Sufix 131 G-Core is much rounder than any other competitor's 12 or 16 carrier braid. The rounder line reduces the resistance in water (while retrieving) and the abrasion caused by rod guides and obstacles in the water. The core fiber (GORE® Performance Fiber) prevents the line from internal fraying making the line more durable. A rounder line casts farther, more silent and more accurate. The cancelled center hole does not allow water to enter – no water means lighter line and longer casting distances. The Sufix 131 G-Core is braided line that is great for casting and jigging, when you need a relatively thin line.

- Built with 13 fibers (12 HMPE fibers + 1 GORE® Performance Fiber in core)
- The most reliable superline
- Improved knot resistance
- Unmatched strength consistency and roundness



LO-VIS GREEN



NEON CHARTREUSE

Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU640395	150 m	0,128 mm	6.8 Kg / 15 Lbs	LO-VIS GREEN	x1	024777712850
ASU640396	150 m	0,148 mm	8.1 Kg / 18 Lbs	LO-VIS GREEN	x1	024777712867
ASU640397	150 m	0,165 mm	9.1 Kg / 20 Lbs	LO-VIS GREEN	x1	024777712874
ASU640398	150 m	0,185 mm	11.4 Kg / 25 Lbs	LO-VIS GREEN	x1	024777712881
ASU640399	150 m	0,205 mm	12.7 Kg / 28 Lbs	LO-VIS GREEN	x1	024777712898
ASU640400	150 m	0,235 mm	13.6 Kg / 30 Lbs	LO-VIS GREEN	x1	024777712904
ASU640401	150 m	0,285 mm	15.9 Kg / 35 Lbs	LO-VIS GREEN	x1	024777712911
ASU640402	150 m	0,128 mm	6.8 Kg / 15 Lbs	NEON CHARTREUSE	x1	024777713079
ASU640403	150 m	0,148 mm	8.1 Kg / 18 Lbs	NEON CHARTREUSE	x1	024777713086
ASU640404	150 m	0,165 mm	9.1 Kg / 20 Lbs	NEON CHARTREUSE	x1	024777713093
ASU640405	150 m	0,185 mm	11.4 Kg / 25 Lbs	NEON CHARTREUSE	x1	024777713109
ASU640406	150 m	0,205 mm	12.7 Kg / 28 Lbs	NEON CHARTREUSE	x1	024777713116
ASU640407	150 m	0,235 mm	13.6 Kg / 30 Lbs	NEON CHARTREUSE	x1	024777713123
ASU640408	150 m	0,285 mm	15.9 Kg / 35 Lbs	NEON CHARTREUSE	x1	024777713130
ASU640419	300 m	0,148 mm	8.1 Kg / 18 Lbs	NEON CHARTREUSE	x1	024777713192
ASU640420	300 m	0,165 mm	9.1 Kg / 20 Lbs	NEON CHARTREUSE	x1	024777713208
ASU640421	300 m	0,185 mm	11.4 Kg / 25 Lbs	NEON CHARTREUSE	x1	024777713215
ASU640422	300 m	0,205 mm	12.7 Kg / 28 Lbs	NEON CHARTREUSE	x1	024777713222
ASU640423	300 m	0,235 mm	13.6 Kg / 30 Lbs	NEON CHARTREUSE	x1	024777713239

Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU640424	300 m	0,285 mm	15.9 Kg / 35 Lbs	NEON CHARTREUSE	x1	024777713246
ASU640425	300 m	0,33 mm	18.2 Kg / 40 Lbs	NEON CHARTREUSE	x1	024777713253
ASU640426	300 m	0,405 mm	27.2 Kg / 60 Lbs	NEON CHARTREUSE	x1	024777713260
ASU640427	300 m	0,47 mm	36.3 Kg / 80 Lbs	NEON CHARTREUSE	x1	024777713277
ASU640428	300 m	0,52 mm	45.4 Kg / 100 Lbs	NEON CHARTREUSE	x1	024777713284
ASU640493	1500 m	0,128 mm	6.8 Kg / 15 Lbs	NEON CHARTREUSE	x1	024777719750
ASU640494	1500 m	0,148 mm	8.1 Kg / 18 Lbs	NEON CHARTREUSE	x1	024777719767
ASU640495	1500 m	0,165 mm	9.1 Kg / 20 Lbs	NEON CHARTREUSE	x1	024777719774
ASU640496	1500 m	0,185 mm	11.4 Kg / 25 Lbs	NEON CHARTREUSE	x1	024777719781
ASU640497	1500 m	0,205 mm	12.7 Kg / 28 Lbs	NEON CHARTREUSE	x1	024777719798
ASU640498	1500 m	0,235 mm	13.6 Kg / 30 Lbs	NEON CHARTREUSE	x1	024777719804
ASU640499	1500 m	0,245 mm	13.6 Kg / 30 Lbs	NEON CHARTREUSE	x1	024777719811
ASU640541	150 m	0,104 mm	5.40 Kg / 12 Lbs	NEON CHARTREUSE	x1	024777728721
ASU640542	150 m	0,104 mm	5.40 Kg / 12 Lbs	LO-VIS GREEN	x1	024777728714

**BRAIDED LINE**

**832 ADVANCED SUPERLINE®**

Sufix 832 Advanced Superline® is the strongest, most durable small diameter braid. It is built with 8 fibers (7 HMPE plus 1 GORE® Performance Fiber) and 32 weaves (pics) per inch. Due to its high-pitch count, it is also hydrophobic (water-repellent). The R8 Precision Braiding and fiber technology provide superior strength, roundness and line consistency. By adding GORE® Performance Fibers we improve abrasion resistance, increase casting length/accuracy and reduce line vibration. HMPE fibers provide the high strength and sensitivity, hydrophobic water-repellent protection and small diameter. All of this makes Sufix 832 Advanced Superline® 30x more abrasion-resistant than other braids. This line is great for casting, trolling and jigging, when high abrasion-resistance is needed. It is ideal for medium to large lures and brutal and intense casting techniques. Are you targeting zander, pike, perch or carp? Then you have to try this line out!

- The strongest, most durable small diameter braid
- R8 Precision Braiding and fiber technology provide superior strength, roundness and line consistency
- Constructed of 8 fibers (7 HMPE plus 1 GORE® Performance Fiber) and 32 weaves (pics) per inch.
- Gore® Performance Fibers improve abrasion resistance, increase casting length/accuracy & reduce line vibration
- HMPE fibers provide high strength & sensitivity, hydrophobic water-repellent protection & small diameter.



Product Number	Length	Size	Strength	Color	Pack	Barcode
● ASU640837	120 m	0.08MM	4.6KG 10LB	LOW VIS GREEN	x1	024777735545
110546810	120 m	0,10 mm	5,9 Kg / 13 Lbs	LO-VIS GREEN	x1	024777664395
113546810	120 m	0,13 mm	8,2 Kg / 18 Lbs	LO-VIS GREEN	x1	024777664401
115546810	120 m	0,15 mm	9,2 Kg / 20 Lbs	LO-VIS GREEN	x1	024777664418
118546810	120 m	0,18 mm	12 Kg / 26 Lbs	LO-VIS GREEN	x1	024777664425
120546810	120 m	0,20 mm	13,5 Kg / 30 Lbs	LO-VIS GREEN	x1	024777664432
124546810	120 m	0,24 mm	17,7 Kg / 39 Lbs	LO-VIS GREEN	x1	024777664449
ASU640211	120 m	0,28 mm	22,8 Kg / 50 Lbs	LO-VIS GREEN	x1	024777664456
ASU640212	120 m	0,33 mm	28,5 Kg / 63 Lbs	LO-VIS GREEN	x1	024777664463
● ASU640836	120 m	0.08MM	4.6KG 10LB	NEON LIME	x1	024777735552
010546810	120 m	0,10 mm	5,9 Kg / 13 Lbs	NEON LIME	x1	024777664838
013546810	120 m	0,13 mm	8,2 Kg / 18 Lbs	NEON LIME	x1	024777664845
015546810	120 m	0,15 mm	9,2 Kg / 20 Lbs	NEON LIME	x1	024777664852
018546810	120 m	0,18 mm	12 Kg / 26 Lbs	NEON LIME	x1	024777664869
020546810	120 m	0,20 mm	13,5 Kg / 30 Lbs	NEON LIME	x1	024777664876



Product Number	Length	Size	Strength	Color	Pack	Barcode
024546810	120 m	0,24 mm	17,7 Kg / 39 Lbs	NEON LIME	x1	024777664883
ASU640215	250 m	0,13 mm	8,2 Kg / 18 Lbs	LO-VIS GREEN	x1	024777664517
ASU640185	250 m	0,15 mm	9,2 Kg / 20 Lbs	LO-VIS GREEN	x1	024777664524
ASU640186	250 m	0,18 mm	12 Kg / 26 Lbs	LO-VIS GREEN	x1	024777664531
ASU640187	250 m	0,20 mm	13,5 Kg / 30 Lbs	LO-VIS GREEN	x1	024777664548
ASU640188	250 m	0,24 mm	17,7 Kg / 39 Lbs	LO-VIS GREEN	x1	024777664555
ASU640189	250 m	0,28 mm	22,8 Kg / 50 Lbs	LO-VIS GREEN	x1	024777664562
ASU640254	250 m	0,33 mm	28,5 Kg / 63 Lbs	LO-VIS GREEN	x1	024777664579
ASU640216	250 m	0,38 mm	36 Kg / 79 Lbs	LO-VIS GREEN	x1	024777664586
ASU640217	250 m	0,42 mm	39 Kg / 86 Lbs	LO-VIS GREEN	x1	024777664593
ASU640218	250 m	0,48 mm	45 Kg / 99 Lbs	LO-VIS GREEN	x1	024777664609
ASU640190	300 m	0,24 mm	17,7 Kg / 39 Lbs	MULTI	x1	024777696594
ASU640191	300 m	0,28 mm	22,8 Kg / 50 Lbs	MULTI	x1	024777696617
ASU640257	300 m	0,33 mm	28,5 Kg / 63 Lbs	MULTI	x1	024777696631
ASU640490	300 m	0,18 mm	12 Kg / 26 Lbs	MULTI	x1	024777694873
ASU640491	300 m	0,20 mm	13,5 Kg / 30 Lbs	MULTI	x1	024777696570
ASU640460	450 m	0.28MM	22.8KG 50LB	COSTAL CAMO	x1	024777717572
ASU640461	450 m	0.33MM	28.5KG 63LB	COSTAL CAMO	x1	024777717589
ASU640462	450 m	0.38MM	36.0KG 79LB	COSTAL CAMO	x1	024777717596
ASU640463	450 m	0.42MM	39.0KG 86LB	COSTAL CAMO	x1	024777717602
ASU640492	450 m	0.48MM	45.0KG 99LB	COSTAL CAMO	x1	024777717619

**BRAIDED LINE**

**NANO BRAID®**

• Strong and thin nanofilament braid • Sufix® NanoBraid® is built with a Wide Angle Braiding Technology that creates higher tension on the braiding process, resulting in a tight weave and super strong, silky smooth line. • The densely braided HMPE fibers and a high pitch-count - up to twice as high as on most braided lines - gives consistent quality, uniform diameter and increased abrasion resistance, improving the line's performance. • Sufix® NanoBraid® is up to three times stronger than other lines in the category and also features superior knot and shock strength unmatched by any other ultra thin line. The silky soft line is extremely sensitive and runs quietly through the guides.



Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU640457	100 m	0,03 mm	1,9 Kg / 4 Lbs	CHARTREUSE	x1	024777716445
ASU640458	100 m	0,04 mm	2,8 Kg / 6 Lbs	CHARTREUSE	x1	024777716476
ASU640459	100 m	0,06 mm	3,3 Kg / 7 Lbs	CHARTREUSE	x1	024777716483
ASU640455	100 m	0,03 mm	1,9 Kg / 4 Lbs	AQUA CAMO	x1	024777716421
ASU640108	100 m	0,04 mm	2,8 Kg / 6 Lbs	AQUA CAMO	x1	024777682306
ASU640097	100 m	0,06 mm	3,3 Kg / 7 Lbs	AQUA CAMO	x1	024777682313
ASU640098	100 m	0,08 mm	3,7 Kg / 8 Lbs	AQUA CAMO	x1	024777682320
ASU640099	100 m	0,10 mm	5 Kg / 11 Lbs	AQUA CAMO	x1	024777682337
ASU640456	100 m	0,03 mm	1,9 Kg / 4 Lbs	HOT PINK	x1	024777716452
ASU640110	100 m	0,04 mm	2,8 Kg / 6 Lbs	HOT PINK	x1	024777682252
ASU640100	100 m	0,06 mm	3,3 Kg / 7 Lbs	HOT PINK	x1	024777682269
ASU640101	100 m	0,08 mm	3,7 Kg / 8 Lbs	HOT PINK	x1	024777682276
ASU640102	100 m	0,10 mm	5 Kg / 11 Lbs	HOT PINK	x1	024777682283

**BRAIDED LINE**

**MATRIX PRO**

A unique, high performance braid with all of the qualities that anglers search for: high strength, ease in handling, near zero stretch and easy casting. Our special matrix braiding process creates a rounder line which performs much better than traditional flat braids. A rounder braid makes your casts smoother, therefore enhancing your casting accuracy and distance. Made with 100% HMPE fibers to ensure that your line achieves the highest strength to diameter ratio while offering high sensitivity and quick hook-sets. Matrix Pro features a PE WaxShield that offers incredible toughness and abrasion resistance.



MIDNIGHT GREEN



WEED GREEN



Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU640363	250 m	0,18 mm	13,5 Kg / 30 Lbs	MIDNIGHT GREEN	x1	024777698802
ASU640365	250 m	0,20 mm	18 Kg / 40 Lbs	MIDNIGHT GREEN	x1	024777698857
ASU640162	135 m	0,12 mm	8,1 Kg / 18 Lbs	WEED GREEN	x1	024777698741
ASU640163	135 m	0,15 mm	10 Kg / 20 Lbs	WEED GREEN	x1	024777698697
ASU640164	135 m	0,18 mm	13,5 Kg / 30 Lbs	WEED GREEN	x1	024777698796
ASU640165	135 m	0,20 mm	18 Kg / 40 Lbs	WEED GREEN	x1	024777698840
ASU640292	135 m	0,25 mm	22,5 Kg / 50 Lbs	WEED GREEN	x1	024777698895
ASU640166	250 m	0,25 mm	22,5 Kg / 50 Lbs	WEED GREEN	x1	024777698901
ASU640167	250 m	0,30 mm	27 Kg / 60 Lbs	WEED GREEN	x1	024777698956

**BRAIDED LINE**

**SFX 4 CARRIER BRAID**

• HIGH STRENGTH • HIGH ABRASION RESISTANCE • LOW STRETCH

- Made of Japanese UHMPE Fibers High Strength & Low Stretch
- A four carrier premium braided fishing line made with 100% Japanese UHMPE fibers for high breaking strength and extreme abrasion resistance for fishing in demanding conditions and large baits. Super low stretch improves sensitivity and hooksets.



HOT YELLOW







































LO-VIS GREEN




MULTICOLOR METERED



Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU640558	3200 m	0,104 mm	4.5 Kg / 10 Lbs	HOT YELLOW	x3	02477723696
ASU640544	135 m	0,128 mm	5.5 Kg / 12 Lbs	HOT YELLOW	x3	02477723146
ASU640550	275 m	0,128 mm	5.5 Kg / 12 Lbs	HOT YELLOW	x3	02477723429
ASU640559	3200 m	0,128 mm	5.5 Kg / 12 Lbs	HOT YELLOW	x3	02477723702
ASU640551	275 m	0,148 mm	7 Kg / 15 Lbs	HOT YELLOW	x3	02477723436
ASU640560	3200 m	0,148 mm	7 Kg / 15 Lbs	HOT YELLOW	x3	02477723719
ASU640546	135 m	0,165 mm	8.6 Kg / 19 Lbs	HOT YELLOW	x3	02477723160
ASU640552	275 m	0,165 mm	8.6 Kg / 19 Lbs	HOT YELLOW	x3	02477723443
ASU640561	3200 m	0,165 mm	8.6 Kg / 19 Lbs	HOT YELLOW	x3	02477723726
ASU640547	135 m	0,185 mm	10 Kg / 22 Lbs	HOT YELLOW	x3	02477723177
ASU640553	275 m	0,185 mm	10 Kg / 22 Lbs	HOT YELLOW	x3	02477723450
ASU640562	3200 m	0,185 mm	10 Kg / 22 Lbs	HOT YELLOW	x3	02477723733
ASU640548	135 m	0,205 mm	11.5 Kg / 25 Lbs	HOT YELLOW	x3	02477723184
ASU640554	275 m	0,205 mm	11.5 Kg / 25 Lbs	HOT YELLOW	x3	02477723467
ASU640563	3200 m	0,205 mm	11.5 Kg / 25 Lbs	HOT YELLOW	x3	02477723740
ASU640549	135 m	0,235 mm	13.6 Kg / 30 Lbs	HOT YELLOW	x3	02477723191

Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU640555	275 m	0,235 mm	13.6 Kg / 30 Lbs	HOT YELLOW	x3	024777723474 
ASU640564	3200 m	0,235 mm	13.6 Kg / 30 Lbs	HOT YELLOW	x3	024777723757 
ASU640556	275 m	0,285 mm	18 Kg / 40 Lbs	HOT YELLOW	x3	024777723498 
ASU640565	3200 m	0,285 mm	18 Kg / 40 Lbs	HOT YELLOW	x3	024777723771 
ASU640557	275 m	0,330 mm	23 Kg / 50 Lbs	HOT YELLOW	x3	024777723504 
ASU640728	3200m	0,370 mm	28.2 Kg / 62 Lbs	HOT YELLOW	x1	024777723795 
ASU640693	275 m	0,370 mm	28.2 Kg / 62 Lbs	HOT YELLOW	x1	024777723511 
ASU640729	3200m	0,400 mm	30.6 Kg / 67 Lbs	HOT YELLOW	x1	024777723801 
ASU640694	275 m	0,405 mm	30.6 Kg / 67 Lbs	HOT YELLOW	x1	024777723528 
ASU640584	3200 m	0,104 mm	4.5 Kg / 10 Lbs	LO-VIS GREEN	x3	024777723559 
ASU640692	275 m	0,104 mm	4.5 Kg / 10 Lbs	LO-VIS GREEN	x1	024777723276 
ASU640574	275 m	0,128 mm	5.5 Kg / 12 Lbs	LO-VIS GREEN	x3	024777723283 
ASU640585	3200 m	0,128 mm	5.5 Kg / 12 Lbs	LO-VIS GREEN	x3	024777723566 
ASU640586	3200 m	0,148 mm	7 Kg / 15 Lbs	LO-VIS GREEN	x3	024777723573 
ASU640576	275 m	0,165 mm	8.6 Kg / 19 Lbs	LO-VIS GREEN	x3	024777723306 
ASU640587	3200 m	0,165 mm	8.6 Kg / 19 Lbs	LO-VIS GREEN	x3	024777723580 
ASU640588	3200 m	0,185 mm	10 Kg / 22 Lbs	LO-VIS GREEN	x3	024777723597 
ASU640589	3200 m	0,205 mm	11.5 Kg / 25 Lbs	LO-VIS GREEN	x3	024777723603 
ASU640590	3200 m	0,235 mm	13.6 Kg / 30 Lbs	LO-VIS GREEN	x3	024777723610 
ASU640591	3200 m	0,285 mm	18 Kg / 40 Lbs	LO-VIS GREEN	x3	024777723634 
ASU640581	275 m	0,330 mm	23 Kg / 50 Lbs	LO-VIS GREEN	x3	024777723368 
ASU640691	135 m	0,330 mm	23 Kg / 50 Lbs	LO-VIS GREEN	x1	024777723085 
ASU640695	3200 m	0,370 mm	28.2 Kg / 62 Lbs	LO-VIS GREEN	x1	024777723658 
ASU640696	3200 m	0,405 mm	30.6 Kg / 67 Lbs	LO-VIS GREEN	x1	024777723665 
ASU640595	300 m	0,165 mm	8.6 Kg / 19 Lbs	MULTICOLOR METERED	x3	024777724143 
ASU640605	3200 m	0,165 mm	8.6 Kg / 19 Lbs	MULTICOLOR METERED	x1	024777724280 
ASU640596	300 m	0,185 mm	10 Kg / 22 Lbs	MULTICOLOR METERED	x3	024777724150 
ASU640606	3200 m	0,185 mm	10 Kg / 22 Lbs	MULTICOLOR METERED	x1	024777724297 
ASU640597	300 m	0,205 mm	11.5 Kg / 25 Lbs	MULTICOLOR METERED	x3	024777724167 
ASU640607	3200 m	0,205 mm	11.5 Kg / 25 Lbs	MULTICOLOR METERED	x1	024777724303 
ASU640598	300 m	0,235 mm	13.6 Kg / 30 Lbs	MULTICOLOR METERED	x3	024777724174 
ASU640608	3200 m	0,235 mm	13.6 Kg / 30 Lbs	MULTICOLOR METERED	x1	024777724310 
ASU640600	300 m	0,285 mm	18 Kg / 40 Lbs	MULTICOLOR METERED	x3	024777724198 
ASU640610	3200 m	0,285 mm	18 Kg / 40 Lbs	MULTICOLOR METERED	x1	024777724334 
ASU640601	300 m	0,330 mm	23 Kg / 50 Lbs	MULTICOLOR METERED	x3	024777724204 
ASU640611	3200 m	0,330 mm	23 Kg / 50 Lbs	MULTICOLOR METERED	x1	024777724341 



**BRAIDED LINE**

**SFX 8 CARRIER BRAID**

• SMOOTH SURFACE • LONG CASTING • HIGH KNOT STRENGTH

- Made of Japanese UHMPE Fibers Long Casting & High Knot Strength
- An eight carrier premium braided fishing line made with
- 100% Japanese UHMPE fibers for smooth surface that results
- in long casts and quiet performance in the line guides. High knot strength combined with super low stretch offer superior handling performance and sensitivity.



HOT YELLOW



HOT YELLOW



LO-VIS GREEN



MULTICOLOR METERED



**SUFIX**  
BRAIDED LINE  
COLLECTION

Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU640737	3200m	0,104 mm	5 Kg / 11 Lbs	HOT YELLOW	x3	024777725164
ASU640738	3200m	0,128 mm	7.3 Kg / 16.06 Lbs	HOT YELLOW	x3	024777725171
ASU640739	3200m	0,148 mm	7.7 Kg / 16.94 Lbs	HOT YELLOW	x3	024777725188
ASU640741	3200m	0,185 mm	13 Kg / 28.6 Lbs	HOT YELLOW	x3	024777725201
ASU640742	3200m	0,205 mm	16.5 Kg / 36.3 Lbs	HOT YELLOW	x3	024777725218
ASU640743	3200m	0,235 mm	20 Kg / 44 Lbs	HOT YELLOW	x3	024777725225
ASU640744	3200m	0,285 mm	22.3 Kg / 49.06 Lbs	HOT YELLOW	x3	024777725232
ASU640626	275 m	0,330 mm	25.6 Kg / 56.32 Lbs	HOT YELLOW	x3	024777725027
ASU640745	3200m	0,330 mm	25.6 Kg / 56.32 Lbs	HOT YELLOW	x3	024777725249
ASU640746	3200m	0,370 mm	40.3 Kg / 88.66 Lbs	HOT YELLOW	x3	024777725256
ASU640701	275 m	0,370 mm	40.3 Kg / 88.66 Lbs	HOT YELLOW	x3	024777725034
ASU640747	3200m	0,450 mm	46 Kg / 101.2 Lbs	HOT YELLOW	x3	024777725263
ASU640702	275 m	0,450 mm	46 Kg / 101.2 Lbs	HOT YELLOW	x3	024777725041
ASU640751	3200m	0,104 mm	5 Kg / 11 Lbs	LO-VIS GREEN	x3	024777725058
ASU640752	3200m	0,128 mm	7.3 Kg / 16.06 Lbs	LO-VIS GREEN	x3	024777725065
ASU640753	3200m	0,148 mm	7.7 Kg / 16.94 Lbs	LO-VIS GREEN	x3	024777725072
ASU640754	3200m	0,165 mm	10 Kg / 22 Lbs	LO-VIS GREEN	x3	024777725089
ASU640755	3200m	0,185 mm	13 Kg / 28.6 Lbs	LO-VIS GREEN	x3	024777725096
ASU640756	3200m	0,205 mm	16.5 Kg / 36.3 Lbs	LO-VIS GREEN	x3	024777725102
ASU640697	135 m	0,285 mm	22.3 Kg / 49.06 Lbs	LO-VIS GREEN	x3	024777724686
ASU640698	135 m	0,330 mm	25.6 Kg / 56.32 Lbs	LO-VIS GREEN	x3	024777724693
ASU640699	275 m	0,370 mm	40.3 Kg / 88.66 Lbs	LO-VIS GREEN	x3	024777724921
ASU640700	275 m	0,405 mm	30.6 Kg / 67 Lbs	LO-VIS GREEN	x3	024777724938
ASU640763	3200m	0,165 mm	10 Kg / 22 Lbs	MULTICOLOR METERED	x3	024777725638
ASU640764	3200m	0,185 mm	13 Kg / 28.6 Lbs	MULTICOLOR METERED	x3	024777725645
ASU640765	3200m	0,205 mm	16.5 Kg / 36.3 Lbs	MULTICOLOR METERED	x3	024777725652
ASU640766	3200m	0,235 mm	20 Kg / 44 Lbs	MULTICOLOR METERED	x3	024777725669
ASU640767	3200m	0,285 mm	22.3 Kg / 49.06 Lbs	MULTICOLOR METERED	x3	024777725676
ASU640768	3200m	0,330 mm	25.6 Kg / 56.32 Lbs	MULTICOLOR METERED	x3	024777725683
ASU640703	3200 m	0,370 mm	40.3 Kg / 88.66 Lbs	MULTICOLOR METERED	x3	024777725690

RED = New 2023

**FLUOROCARBON**

**INVISILINE®**

Invisiline is a leader material made from 100% fluorocarbon that offers incredible abrasion resistance and shock absorption. Due to its light refraction properties it is virtually invisible in water and sinks four times faster than standard nylon line. Invisiline has incredibly low stretch and is highly durable making it the perfect choice for the most demanding fishing situations.



CLEAR




Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU470927	10 m	1,17 mm	79,9 Kg / 175 Lbs	CLEAR	x1	024777712263
ASU470926	12 m	1,06 mm	60,8 Kg / 130 Lbs	CLEAR	x1	024777712256
ASU470925	18 m	0,92 mm	45,7 Kg / 100 Lbs	CLEAR	x1	024777712300
ASU470568	20 m	0,79 mm	36,2 Kg / 80 Lbs	CLEAR	x1	024777381834
ASU470569	20 m	0,92 mm	45,7 Kg / 100 Lbs	CLEAR	x1	024777381841
ASU470570	20 m	1,06 mm	60,8 Kg / 130 Lbs	CLEAR	x1	024777381858
ASU470571	20 m	1,17 mm	79,9 Kg / 175 Lbs	CLEAR	x1	024777381865
ASU470924	25 m	0,79 mm	36,2 Kg / 80 Lbs	CLEAR	x1	024777712294
ASU470922	30 m	0,62 mm	23,2 Kg / 50 Lbs	CLEAR	x1	024777712270
ASU470923	30 m	0,71 mm	29,5 Kg / 65 Lbs	CLEAR	x1	024777712287
ASU471078	50 m	0,12 mm	1,2 Kg / 2,5 Lbs	CLEAR	x6	024777728806
ASU471029	50 m	0,15 mm	2 Kg / 4,4 Lbs	CLEAR	x6	024777728813
ASU471030	50 m	0,17 mm	2,6 Kg / 5,7 Lbs	CLEAR	x6	024777728820
ASU471031	50 m	0,19 mm	3,2 Kg / 7 Lbs	CLEAR	x6	024777728837
ASU471032	50 m	0,21 mm	3,7 Kg / 8 Lbs	CLEAR	x6	024777728844
ASU471033	50 m	0,24 mm	4,5 Kg / 10 Lbs	CLEAR	x6	024777728851
ASU471034	50 m	0,27 mm	6,1 Kg / 12 Lbs	CLEAR	x6	024777728868
ASU471035	50 m	0,30 mm	7,4 Kg / 15 Lbs	CLEAR	x6	024777728875
ASU471036	50 m	0,33 mm	8,6 Kg / 18 Lbs	CLEAR	x6	024777728882
ASU471037	50 m	0,37 mm	10,6 Kg / 20 Lbs	CLEAR	x6	024777728899
ASU471038	50 m	0,44 mm	14,6 Kg / 30 Lbs	CLEAR	x6	024777728905
ASU471039	50 m	0,47 mm	15,7 Kg / 35 Lbs	CLEAR	x6	024777728912
ASU471040	50 m	0,52 mm	17,7 Kg / 40 Lbs	CLEAR	x6	024777728929
ASU471041	50 m	0,62 mm	23,2 Kg / 50 Lbs	CLEAR	x6	024777728936
ASU471042	50 m	0,71 mm	29,5 Kg / 65 Lbs	CLEAR	x6	024777728943

**FLUOROCARBON**

**ADVANCE FC**

Proprietary gel phase technology™ process produces the ultimate handling, performance and clarity essential to the most discriminating anglers. Maximization of the fluoropolymers through precision processing creates an easy handling, super-sensitive and abrasion resistant fluorocarbon

- Supple
- Virtually Invisible
- Excellent Abrasion Resistance
- Top-Quality Raw Material for Maximum Strength
- Fast-Sinking |
- Environmentally Friendly Packaging



CLEAR **NEW**



**NEW SIZE**

**Sufix**  
FLUOROCARBON  
COLLECTION

Product Number	Length	Size	Strength	Color	Pack	Barcode
● ASU471150	50m	0.148MM	1.4KG 3LB	CLEAR	x1	024777736023
● ASU471151	50m	0.165MM	1.9KG 4LB	CLEAR	x1	024777736030
● ASU471152	50m	0.185MM	2.4KG 5LB	CLEAR	x1	024777736047
● ASU471153	50m	0.205MM	3.5KG 8LB	CLEAR	x1	024777736054
● ASU471154	50m	0.235MM	4.5KG 10LB	CLEAR	x1	024777736061
● ASU471155	50m	0.26MM	4.9KG 11LB	CLEAR	x1	024777736078
● ASU471156	50m	0.28MM	5.6KG 12LB	CLEAR	x1	024777736085
● ASU471157	50m	0.31MM	6.3KG 14LB	CLEAR	x1	024777736092
● ASU471158	50m	0.33MM	8.4KG 17LB	CLEAR	x1	024777736108
● ASU471159	50m	0.405MM	9.2KG 20LB	CLEAR	x1	024777736115
ASU470976	91 m - 100 yds	0,205 mm	3,5 Kg / 8 Lbs	CLEAR	x1	024777719507
ASU470977	91 m - 100 yds	0,235 mm	4,5 Kg / 10 Lbs	CLEAR	x1	024777719514
ASU470978	91 m - 100 yds	0,26 mm	4,9 Kg / 11 Lbs	CLEAR	x1	024777719521
ASU470979	91 m - 100 yds	0,28 mm	5,6 Kg / 12 Lbs	CLEAR	x1	024777719538
ASU470980	91 m - 100 yds	0,31 mm	6,3g / 14 Lbs	CLEAR	x1	024777719545
ASU470981	91 m - 100 yds	0,33 mm	8,4 Kg / 17 Lbs	CLEAR	x1	024777719552
ASU470982	91 m - 100 yds	0,405 mm	9,2 Kg / 20 Lbs	CLEAR	x1	024777719569

**FLUOROCARBON**

**SUPER 21® FC**

• 100% fluorocarbon line is virtually invisible in the water and is ideal for stealthy presentations. Low stretch index improves line control, presentation and bite detection, and optimizes hook setting power. Extremely abrasion resistant and durable for fishing rough structure and for tough-mouthed fish, yet supple enough for subtle presentations. Fluorocarbon line sinks four times faster than traditional nylon lines allowing the presentation to sink to the strike zone faster. 100% fluorocarbon line that casts like a regular monofilament and offers exceptional handling on spinning & casting reels. Invisible • Low Stretch • Super Strong • Fast sinking • Easy Handling



CLEAR



Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU471146	35m	0,60 mm	26,1 Kg / 58 Lbs	CLEAR	x6	024777695344
ASU471058	50 m	0,12 mm	1,2 Kg / 2,5 Lbs	CLEAR	x6	024777728950
ASU470493	50 m	0,14 mm	2 Kg / 4 Lbs	CLEAR	x6	024777695061
ASU470494	50 m	0,16 mm	2,6 Kg / 6 Lbs	CLEAR	x6	024777695092

RED = New 2023

Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU470495	50 m	0,18 mm	2,9 Kg / 7 Lbs	CLEAR	x6	024777695122
ASU470328	50 m	0,20 mm	3,7 Kg / 8 Lbs	CLEAR	x6	024777695153
ASU470329	50 m	0,25 mm	5,9 Kg / 12 Lbs	CLEAR	x6	024777695184
ASU470330	50 m	0,28 mm	6,5 Kg / 14 Lbs	CLEAR	x6	024777695214
ASU470331	50 m	0,30 mm	7,5 Kg / 17 Lbs	CLEAR	x6	024777695245
ASU470332	50 m	0,33 mm	8,2 Kg / 18 Lbs	CLEAR	x6	024777697676
ASU471143	50 m	0,35 mm	9 Kg / 20 Lbs	CLEAR	x6	024777695276
ASU471144	50 m	0,40 mm	12,4 Kg / 28 Lbs	CLEAR	x6	024777695306
ASU471145	50 m	0,50 mm	16,9 Kg / 38 Lbs	CLEAR	x6	024777695337
ASU471059	50 m	0,50 mm	16,9 Kg / 38 Lbs	CLEAR	x6	024777728967
ASU471076	50 m	0,50 mm	16,9 Kg / 38 Lbs	CLEAR	x6	024777729056
ASU471060	50 m	0,60 mm	26,1 Kg / 58 Lbs	CLEAR	x6	024777728974
ASU471077	50 m	0,60 mm	26,1 Kg / 58 Lbs	CLEAR	x6	024777710887
ASU471061	50 m	0,70 mm	33 Kg / 70 Lbs	CLEAR	x6	024777728981
ASU471062	50 m	0,80 mm	37 Kg / 80 Lbs	CLEAR	x6	024777728998
ASU471063	50 m	0,90 mm	51 Kg / 110 Lbs	CLEAR	x6	024777729001
ASU471073	80 m	0,33 mm	8,2 Kg / 18 Lbs	CLEAR	x6	024777729025
ASU471074	80 m	0,35 mm	9 Kg / 20 Lbs	CLEAR	x6	024777729032
ASU471075	80 m	0,40 mm	12,4 Kg / 28 Lbs	CLEAR	x6	024777729049
ASU471066	100 m	0,16 mm	2,6 Kg / 6 Lbs	CLEAR	x6	024777710788
ASU471067	100 m	0,18 mm	2,9 Kg / 7 Lbs	CLEAR	x6	024777710795
ASU471068	100 m	0,20 mm	3,7 Kg / 8 Lbs	CLEAR	x6	024777710801
ASU471069	100 m	0,23 mm	4,8 Kg / 10 Lbs	CLEAR	x6	024777720794
ASU471070	100 m	0,25 mm	5,9 Kg / 12 Lbs	CLEAR	x6	024777710818
ASU471071	100 m	0,28 mm	6,5 Kg / 14 Lbs	CLEAR	x6	024777710825
ASU471072	100 m	0,30 mm	7,5 Kg / 17 Lbs	CLEAR	x6	024777710832
ASU470496	150 m	0,14 mm	2 Kg / 4 Lbs	CLEAR	x6	024777695078
ASU470346	150 m	0,16 mm	2,6 Kg / 6 Lbs	CLEAR	x6	024777695108
ASU470347	150 m	0,18 mm	2,9 Kg / 7 Lbs	CLEAR	x6	024777695139
ASU470348	150 m	0,20 mm	3,7 Kg / 8 Lbs	CLEAR	x6	024777695160
ASU470349	150 m	0,25 mm	5,9 Kg / 12 Lbs	CLEAR	x6	024777695191
ASU470350	150 m	0,28 mm	6,5 Kg / 14 Lbs	CLEAR	x6	024777695221
ASU470351	150 m	0,30 mm	7,5 Kg / 17 Lbs	CLEAR	x6	024777695252
ASU470720	150 m	0,33 mm	8,2 Kg / 18 Lbs	CLEAR	x6	024777697713
ASU470352	150 m	0,35 mm	9 Kg / 20 Lbs	CLEAR	x6	024777695283
ASU470353	150 m	0,40 mm	12,4 Kg / 28 Lbs	CLEAR	x6	024777695313







# MONOFILAMENTS

**MONOFILAMENT LINE**

**RECYCLINE**

100% PREMIUM RECYCLED MONOFILAMENT The first monofilament of its kind steps towards a sustainable existence by using 100% Econyl®, regenerated nylon coming from waste such as fishing nets from the oceans and from the fishing industry. RECYCLED PLASTIC SPOOL The spool is made of fully recycled plastic and can be recycled again. RECYCLED PAPER BOARD PACKAGE Construction with recycled paperboard allows this carton to be recycled again and again, critical in the future of our resources and environment.



GREEN

Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU471043	150 m	0,16 mm	2 Kg / 4 Lbs	GREEN	x6	024777729384
ASU471044	150 m	0,18 mm	2,5 Kg / 5 Lbs	GREEN	x6	024777729063
ASU471045	150 m	0,20 mm	3 Kg / 6 Lbs	GREEN	x6	024777729070
ASU471046	150 m	0,25 mm	4,5 Kg / 9 Lbs	GREEN	x6	024777729087
ASU471047	150 m	0,30 mm	6 Kg / 12 Lbs	GREEN	x6	024777729094
ASU471048	150 m	0,35 mm	7 Kg / 14 Lbs	GREEN	x6	024777729100
ASU471049	150 m	0,40 mm	9 Kg / 18 Lbs	GREEN	x6	024777729117
ASU471050	300 m	0,18 mm	2,5 Kg / 5 Lbs	GREEN	x6	024777729148
ASU471051	300 m	0,20 mm	3 Kg / 6 Lbs	GREEN	x6	024777729155
ASU471052	300 m	0,25 mm	4,5 Kg / 9 Lbs	GREEN	x6	024777729162
ASU471053	300 m	0,30 mm	6 Kg / 12 Lbs	GREEN	x6	024777729179
ASU471054	300 m	0,35 mm	7 Kg / 14 Lbs	GREEN	x6	024777729186
ASU471055	300 m	0,40 mm	9 Kg / 18 Lbs	GREEN	x6	024777729193
ASU471056	300 m	0,45 mm	11 Kg / 22 Lbs	GREEN	x6	024777729209
ASU471057	300 m	0,50 mm	14 Kg / 28 Lbs	GREEN	x6	024777729216

**MONOFILAMENT LINE**

**ADVANCE**

• The most abrasion resistant, supple and sensitive monofilament. HMPE molecules blended in with the polyamides are drawn to the line's surface in the Sufix's proprietary Magnetic Extrusion Process, creating a durable layer that provides superior, long-lasting protection against abrasion. • Unlike other abrasion resistant lines, Sufix Advance is very supple and sensitive, allowing subtle and precision presentations. • With only half the stretch of a standard monofilament line, Sufix Advance offers exceptional lure control, ultimate bite detection and firm hook setting power. • Thanks to the line's inherent qualities and the Sufix G2 Precision Winding, Sufix Advance is virtually memory free, extremely easy handling and long casting. • G2 Precision Winding in all spool sizes.



CLEAR



HI-VIS YELLOW



LO-VIS GREEN

Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU470585	150 m	0,16 mm	2,9 Kg / 6 Lbs	CLEAR	x6	024777708129
ASU470586	150 m	0,18 mm	3,4 Kg / 8 Lbs	CLEAR	x6	024777708136
ASU470587	150 m	0,20 mm	4,5 Kg / 10 Lbs	CLEAR	x6	024777708143
ASU470588	150 m	0,23 mm	5 Kg / 11 Lbs	CLEAR	x6	024777708150
ASU470589	150 m	0,25 mm	6,1 Kg / 13 Lbs	CLEAR	x6	024777708167
ASU470590	150 m	0,28 mm	6,7 Kg / 15 Lbs	CLEAR	x6	024777708174
ASU470591	150 m	0,30 mm	8,2 Kg / 18 Lbs	CLEAR	x6	024777708181
ASU470592	150 m	0,35 mm	11,3 Kg / 25 Lbs	CLEAR	x6	024777708204
ASU471079	150m	0,33 mm	8,2 Kg / 18 Lbs	CLEAR	x1	024777708198

RED = New 2023

Sufix  
MONOFILAMENT  
LINE COLLECTION

Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU471080	150m	0,38 mm	12,4 Kg / 28 Lbs	CLEAR	x1	024777708211
ASU471081	150m	0,40 mm	15 Kg / 33 Lbs	CLEAR	x1	024777708228
ASU470609	250 m	0,50 mm	21,8 Kg / 48 Lbs	CLEAR	x1	024777708358
ASU470601	300 m	0,20 mm	4,5 Kg / 10 Lbs	CLEAR	x3	024777708259
ASU470602	300 m	0,23 mm	5 Kg / 11 Lbs	CLEAR	x3	024777708266
ASU470603	300 m	0,25 mm	6,1 Kg / 13 Lbs	CLEAR	x3	024777708273
ASU470604	300 m	0,28 mm	6,7 Kg / 15 Lbs	CLEAR	x3	024777708280
ASU470605	300 m	0,30 mm	8,2 Kg / 18 Lbs	CLEAR	x3	024777708297
ASU470606	300 m	0,35 mm	11,3 Kg / 25 Lbs	CLEAR	x3	024777708310
ASU470607	300 m	0,40 mm	15 Kg / 33 Lbs	CLEAR	x3	024777708334
ASU470608	300 m	0,45 mm	18,1 Kg / 40 Lbs	CLEAR	x3	024777708341
ASU470985	300m	0,33 mm	8,2 Kg / 18 Lbs	CLEAR	x1	024777708303
ASU470908	3200 m	0,20 mm	4,5 Kg / 10 Lbs	CLEAR	x1	024777716728
ASU470909	3200 m	0,23 mm	5 Kg / 11 Lbs	CLEAR	x1	024777716735
ASU470910	3200 m	0,25 mm	6,1 Kg / 13 Lbs	CLEAR	x1	024777716742
ASU470911	3200 m	0,28 mm	6,7 Kg / 15 Lbs	CLEAR	x1	024777716759
ASU470912	3200 m	0,30 mm	8,2 Kg / 18 Lbs	CLEAR	x1	024777716766
ASU470913	3200 m	0,33 mm	8,2 Kg / 18 Lbs	CLEAR	x1	024777716773
ASU470914	3200 m	0,35 mm	11,3 Kg / 25 Lbs	CLEAR	x1	024777716780
ASU470593	150 m	0,16 mm	2,9 Kg / 6 Lbs	HI-VIS YELLOW	x6	024777709065
ASU470594	150 m	0,18 mm	3,4 Kg / 8 Lbs	HI-VIS YELLOW	x6	024777709072
ASU470595	150 m	0,20 mm	4,5 Kg / 10 Lbs	HI-VIS YELLOW	x6	024777709089
ASU470596	150 m	0,23 mm	5 Kg / 11 Lbs	HI-VIS YELLOW	x6	024777709096
ASU470597	150 m	0,25 mm	6,1 Kg / 13 Lbs	HI-VIS YELLOW	x6	024777709102
ASU470598	150 m	0,28 mm	6,7 Kg / 15 Lbs	HI-VIS YELLOW	x6	024777709119
ASU470599	150 m	0,30 mm	8,2 Kg / 18 Lbs	HI-VIS YELLOW	x6	024777709126
ASU470944	150 m	0,16 mm	2,9 Kg / 6 Lbs	LO-VIS GREEN	x6	024777708594
ASU470945	150 m	0,18 mm	3,4 Kg / 8 Lbs	LO-VIS GREEN	x6	024777708600
ASU470946	150 m	0,20 mm	4,5 Kg / 10 Lbs	LO-VIS GREEN	x6	024777708617
ASU470896	150 m	0,23 mm	5 Kg / 11 Lbs	LO-VIS GREEN	x6	024777708624
ASU470947	150 m	0,25 mm	6,1 Kg / 13 Lbs	LO-VIS GREEN	x6	024777708631
ASU470948	150 m	0,28 mm	6,7 Kg / 15 Lbs	LO-VIS GREEN	x6	024777708648
ASU470950	150 m	0,30 mm	8,2 Kg / 18 Lbs	LO-VIS GREEN	x6	024777708655
ASU470610	300 m	0,20 mm	4,5 Kg / 10 Lbs	LO-VIS GREEN	x3	024777708723
ASU470611	300 m	0,23 mm	5 Kg / 11 Lbs	LO-VIS GREEN	x3	024777708730
ASU470612	300 m	0,25 mm	6,1 Kg / 13 Lbs	LO-VIS GREEN	x3	024777708747
ASU470613	300 m	0,28 mm	6,7 Kg / 15 Lbs	LO-VIS GREEN	x3	024777708754
ASU470614	300 m	0,30 mm	8,2 Kg / 18 Lbs	LO-VIS GREEN	x3	024777708761
ASU470615	300 m	0,35 mm	11,3 Kg / 25 Lbs	LO-VIS GREEN	x3	024777708785
ASU470616	300 m	0,40 mm	15 Kg / 33 Lbs	LO-VIS GREEN	x3	024777708808
ASU471147	300m	0,16 mm	2,9 Kg / 6 Lbs	LO-VIS GREEN	x1	024777708709
ASU471148	300m	0,18 mm	3,4 Kg / 8 Lbs	LO-VIS GREEN	x1	024777708716

**MONOFILAMENT LINE**

**DURAFLEX**

• Advanced next generation monofilament line. With our exclusive NX Nano Resin™ formula, we are able to achieve extra sensitivity without giving up superior strength, handling & durability. Near-zero memory • Ultra premium monofilament • G2 Precision Winding



CLEAR



Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU470310	150 m	0,14 mm	2,4 Kg / 5,3 Lbs	CLEAR	x6	024777690707
ASU470311	150 m	0,16 mm	3,1 Kg / 6,7 Lbs	CLEAR	x6	024777690714
ASU470312	150 m	0,18 mm	3,7 Kg / 8 Lbs	CLEAR	x6	024777690721
ASU470313	150 m	0,20 mm	4,5 Kg / 9,9 Lbs	CLEAR	x6	024777690738
ASU470314	150 m	0,22 mm	5,6 Kg / 12,3 Lbs	CLEAR	x6	024777690745
ASU470315	150 m	0,25 mm	7 Kg / 15,4 Lbs	CLEAR	x6	024777690752
ASU470316	150 m	0,30 mm	9,7 Kg / 21,3 Lbs	CLEAR	x6	024777690769
ASU470647	150 m	0,33 mm	10,8 Kg / 23,8 Lbs	CLEAR	x6	024777703827
ASU470317	150 m	0,35 mm	13 Kg / 28,6 Lbs	CLEAR	x6	024777690776
ASU470318	150 m	0,40 mm	15,5 Kg / 34,1 Lbs	CLEAR	x6	024777690783
018150210	300 m	0,16 mm	3,1 Kg / 6,7 Lbs	CLEAR	x6	024777371095
020150210	300 m	0,18 mm	3,7 Kg / 8 Lbs	CLEAR	x6	024777371101
023150210	300 m	0,20 mm	4,5 Kg / 9,9 Lbs	CLEAR	x6	024777371118
025150210	300 m	0,22 mm	5,6 Kg / 12,3 Lbs	CLEAR	x6	024777371125
028150210	300 m	0,25 mm	7 Kg / 15,4 Lbs	CLEAR	x6	024777371132
030150210	300 m	0,30 mm	9,7 Kg / 21,3 Lbs	CLEAR	x6	024777371149
033150210	300 m	0,33 mm	10,8 Kg / 23,8 Lbs	CLEAR	x6	024777371156
035150210	300 m	0,35 mm	13 Kg / 28,6 Lbs	CLEAR	x6	024777371163
040150210	300 m	0,40 mm	15,5 Kg / 34,1 Lbs	CLEAR	x6	024777371187
045150210	300 m	0,45 mm	18,2 Kg / 40 Lbs	CLEAR	x6	024777371200
050150210	300 m	0,50 mm	23 Kg / 50,6 Lbs	CLEAR	x6	024777371217

**MONOFILAMENT LINE**

**XL STRONG**

An exceptionally soft, smooth and supple fishing line with great tensile and knot strength. XL Strong is a very versatile monofilament fishing line that is perfect for a wide variety of fresh and salt water fishing applications. This smooth line is exceptional for casting by offering a low memory, reduced twisting, less kinks and fewer backlashes than stiffer monofilaments. Made with a super copolymer nylon formula, XL Strong offers increased toughness and excellent abrasion resistance. This low stretch nylon provides quick and controlled hook sets with high shock strength that helps you land more fish.



CLEAR



NEON YELLOW



Product Number	Length	Size	Strength	Color	Pack	Barcode
014050810	150 m	0,14 mm	1,9 Kg / 4,2 Lbs	CLEAR	x6	024777696020
016050810	150 m	0,16 mm	2,2 Kg / 4,8 Lbs	CLEAR	x6	024777696037
018050810	150 m	0,18 mm	2,8 Kg / 6,1 Lbs	CLEAR	x6	024777696044

Product Number	Length	Size	Strength	Color	Pack	Barcode
020050810	150 m	0,20 mm	3,3 Kg / 7,3 Lbs	CLEAR	x6	024777694880
023050810	150 m	0,23 mm	4,4 Kg / 9,7 Lbs	CLEAR	x6	024777696051
025050810	150 m	0,25 mm	5,4 Kg / 12 Lbs	CLEAR	x6	024777696068
028050810	150 m	0,28 mm	6,6 Kg / 14,5 Lbs	CLEAR	x6	024777696075
030050810	150 m	0,30 mm	7,7 Kg / 16,9 Lbs	CLEAR	x6	024777696082
035050810	150 m	0,35 mm	10,3 Kg / 23 Lbs	CLEAR	x6	024777696099
ASU470843	150 m	0,40 mm	13 Kg / 29 Lbs	CLEAR	x6	024777696105
ASU470856	300 m	0,16 mm	2,2 Kg / 4,8 Lbs	CLEAR	x3	024777332140
ASU470857	300 m	0,18 mm	2,8 Kg / 6,1 Lbs	CLEAR	x3	024777332157
ASU470319	300 m	0,20 mm	3,3 Kg / 7,3 Lbs	CLEAR	x3	024777332164
ASU470320	300 m	0,23 mm	4,4 Kg / 9,7 Lbs	CLEAR	x3	024777332171
ASU470321	300 m	0,25 mm	5,4 Kg / 12 Lbs	CLEAR	x3	024777332188
ASU470322	300 m	0,28 mm	6,6 Kg / 14,5 Lbs	CLEAR	x3	024777332195
ASU470323	300 m	0,30 mm	7,7 Kg / 16,9 Lbs	CLEAR	x3	024777332201
ASU470324	300 m	0,35 mm	10,3 Kg / 23 Lbs	CLEAR	x3	024777332225
ASU470325	300 m	0,40 mm	13 Kg / 29 Lbs	CLEAR	x3	024777332249
ASU470326	300 m	0,45 mm	15,4 Kg / 34 Lbs	CLEAR	x3	024777332263
ASU470327	300 m	0,50 mm	19,5 Kg / 43 Lbs	CLEAR	x3	024777332270
ASU470870	600 m	0,25 mm	5,4 Kg / 12 Lbs	NEON YELLOW	x3	024777350052
ASU470873	600 m	0,28 mm	6,6 Kg / 14,5 Lbs	NEON YELLOW	x3	024777350069
ASU470876	600 m	0,30 mm	7,7 Kg / 16,9 Lbs	NEON YELLOW	x3	024777350076
ASU470878	600 m	0,35 mm	10,3 Kg / 23 Lbs	NEON YELLOW	x3	024777350090

**MONOFILAMENT LINE**

**ULTRA KNOT**

Low memory. high knot strength, suppleness and good abrasion resistance. Ultra high knot strength & extra supple G2 winding on 100 m x 10 & 150 spoos.



NEON YELLOW ORANGE



OPAQUE YELLOW



NEON PINK/WHITE



Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU470998	1/4 lb	0,23 mm	4,5 Kg / 10 Lbs	NEON YELLOW ORANGE	x6	024777392731
ASU470999	1/4 lb	0,25 mm	5,1 Kg / 12 Lbs	NEON YELLOW ORANGE	x6	024777392748
ASU471000	1/4 lb	0,28 mm	6,3 Kg / 14 Lbs	NEON YELLOW ORANGE	x6	024777392755
ASU471001	1/4 lb	0,30 mm	7,2 Kg / 16 Lbs	NEON YELLOW ORANGE	x6	024777392762
ASU471002	1/4 lb	0,33 mm	8,1 Kg / 18 Lbs	NEON YELLOW ORANGE	x6	024777691865
ASU471003	1/4 lb	0,35 mm	9,4 Kg / 21 Lbs	NEON YELLOW ORANGE	x6	024777392779
ASU470274	150 m	0,16 mm	2,3 Kg / 5 Lbs	OPAQUE YELLOW	x6	024777700277
ASU470275	150 m	0,18 mm	2,8 Kg / 6 Lbs	OPAQUE YELLOW	x6	024777700284
021050610	150 m	0,20 mm	3,4 Kg / 8 Lbs	OPAQUE YELLOW	x6	024777326736
ASU470292	150 m	0,14 mm	1,8 Kg / 4 Lbs	NEON YELLOW ORANGE	x6	024777700291
615050610	150 m	0,16 mm	2,3 Kg / 5 Lbs	NEON YELLOW ORANGE	x6	024777700307
617050610	150 m	0,18 mm	2,8 Kg / 6 Lbs	NEON YELLOW ORANGE	x6	024777700314
621050610	150 m	0,20 mm	3,4 Kg / 8 Lbs	NEON YELLOW ORANGE	x6	024777700321
624050610	150 m	0,23 mm	4,5 Kg / 10 Lbs	NEON YELLOW ORANGE	x6	024777700338
626050610	150 m	0,25 mm	5,1 Kg / 12 Lbs	NEON YELLOW ORANGE	x6	024777700345

Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU470294	150 m	0,16 mm	2,3 Kg / 5 Lbs	NEON PINK/WHITE	x6	024777700369
ASU470295	150 m	0,18 mm	2,8 Kg / 6 Lbs	NEON PINK/WHITE	x6	024777700376
ASU470296	150 m	0,20 mm	3,4 Kg / 8 Lbs	NEON PINK/WHITE	x6	024777700383
ASU470899	1950 m	0,23 mm	4,5 Kg / 10 Lbs	OPAQUE YELLOW	x1	024777331853
ASU470900	1680 m	0,25 mm	5,1 Kg / 12 Lbs	OPAQUE YELLOW	x1	024777331860
ASU470901	1360 m	0,28 mm	6,3 Kg / 14 Lbs	OPAQUE YELLOW	x1	024777331877
ASU470902	1195 m	0,30 mm	7,2 Kg / 16 Lbs	OPAQUE YELLOW	x1	024777331884
ASU470903	995 m	0,33 mm	8,1 Kg / 18 Lbs	OPAQUE YELLOW	x1	024777331891
ASU470904	890 m	0,35 mm	9,4 Kg / 21 Lbs	OPAQUE YELLOW	x1	024777331907

**MONOFILAMENT LINE**

**NANOLINE**

Sufix® Nanoline is designed for ultra-light trout area finesse fishing with featherweight lures. Special low stretch formula creates a super-sensitive line that transmits even the slightest movement and lightest of bites to the fisherman's hands, resulting in fast hooksets, greatly improving your hook-up ratio. Ideal for very slow retrieves and delicate presentations with featherlight lures, especially in the most demanding high-pressure conditions, when nothing less than perfect will do. Sufix Nanoline has built-in anti-icing properties that allow fishing even in sub-zero temperatures without compromising the line's softness and low stretch qualities.



CLEAR



Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU470907	150 m	0,14 mm	1,80 Kg / 4 Lbs	CLEAR	x6	024777716605
ASU470965	150 m	0,16 mm	2,50 Kg / 6 Lbs	CLEAR	x6	024777718326
ASU470966	150 m	0,18 mm	3,10 Kg / 7 Lbs	CLEAR	x6	024777718333
ASU470967	150 m	0,20 mm	3,50 Kg / 8 Lbs	CLEAR	x6	024777718340
ASU470906	100 m	0,12 mm	1,36 Kg / 3 Lbs	CLEAR	x6	024777716506






**MONOFILAMENT LINE**

**PROFESSIONAL FISHING LINE**

• Perfect for trolling. • 5 x 100 m recommended for professional anglers • 1kg spool to cover all saltwater fishing technique with different diameters. • Good abrasion resistance.




Product Number	Length	Size	Strength	Color	Pack	Barcode
<b>PROFESSIONAL</b>						
ASU470363	100 m	1 mm	52 Kg	White	x1	024777684850
ASU470364	100 m	1,2 mm	60 Kg	White	x1	024777684867
ASU470365	100 m	1,4 mm	74 Kg	White	x1	024777691063
ASU470970	100 m	0,60 mm	20 Kg	White	x6	024777691025
ASU470971	100 m	0,70 mm	25 Kg	White	x6	024777691032
ASU470972	100 m	0,80 mm	35 Kg	White	x6	024777684836
ASU470973	100 m	0,90 mm	39 Kg	White	x6	024777684843
<b>HAND-CASTER</b>						
ASU470276	100 m	0,70 mm	25 Kg		x3	024777687035

Product Number	Length	Size	Strength	Color	Pack	Barcode
<b>HAND-CASTER</b>						
ASU470277	100 m	0,80 mm	35 Kg		x3	024777687042 
ASU470278	100 m	0,90 mm	39 Kg		x3	024777687059 
ASU470279	100 m	1 mm	52 Kg		x3	024777687066 
ASU470280	100 m	1,1 mm	57 Kg		x3	024777687073 
ASU470281	100 m	1,2 mm	60 Kg		x3	024777687080 

**LEADER AND BRAIDED LINE**

**WIND-ON LEADER**

Versatile leaders attach to the mainline in seconds without knots or swivels.



Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU470389	10 m	0,71 mm	24 Kg /50 Lbs	NATURAL TAN	x3	024777364776 
ASU470390	10 m	0,91 mm	37 Kg /80 Lbs	NATURAL TAN	x3	024777364783 
ASU470391	10 m	1,07 mm	46 Kg /100 Lbs	NATURAL TAN	x3	024777364790 
ASU470392	10 m	1,17 mm	68 Kg /150 Lbs	NATURAL TAN	x3	024777364806 
ASU471110	10 m	1,60 mm	91 Kg /200 Lbs	NATURAL TAN	x3	024777364813 

**LEADER AND BRAIDED LINE**

**JIGGING BRAID**

Super strong, high abrasion resistant and reliable braid that can be used to make a variety of hook connections. Super strong hook connecting braid - Made from bulletproof aramid fibers - Hollow construction for easy splicing.



Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU640664	5 m		50 Kg /110 Lbs	NATURAL TAN	x1	024777349209 
ASU640665	5 m		64 Kg /140 Lbs	NATURAL TAN	x1	024777349216 
ASU640666	5 m		82 Kg /180 Lbs	NATURAL TAN	x1	024777349223 
ASU640667	5 m		127 Kg /280 Lbs	NATURAL TAN	x1	024777349230 





**BIG GAME**

**KEY LIME IGFA**

The ideal thick diameter IGFA-rated big game and sport fishing line that delivers exceptional performance. Consistent tensile strength to meet IGFA standards. Ultimate abrasion resistance for long, tough record battles. High knot strength and great shock absorption for sudden bursts that record game fish are known for.



NEON LIME



Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU470509	600 m	0,52 mm	15 Kg /30 Lbs	NEON LIME	x1	024777672963
ASU470510	600 m	0,68 mm	24 Kg /50 Lbs	NEON LIME	x1	024777672970
ASU470511	900 m	0,42 mm	10 Kg /20 Lbs	NEON LIME	x1	024777686793
ASU470512	900 m	0,52 mm	15 Kg /30 Lbs	NEON LIME	x1	024777684034
ASU470513	900 m	0,68 mm	24 Kg /50 Lbs	NEON LIME	x1	024777684041
ASU470515	900 m	1,1 mm	60 Kg /130 Lbs	NEON LIME	x1	024777385092
ASU470514	1000 m	0,86 mm	37 Kg /80 Lbs	NEON LIME	x1	024777343504

**BIG GAME**

**ULTRA SUPREME IGFA**

• Ultra Supreme has the muscle and shock strength needed to handle the demanding punishment found in fresh water and salt water fishing. • IGFA-rated.



CLEAR



NEON YELLOW



Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU470384	1000 m	0,48 mm	15 Kg /30 Lbs	CLEAR	x1	024777302068
ASU470385	1000 m	0,64 mm	24 Kg /50 Lbs	CLEAR	x1	024777302075
ASU470386	1000 m	0,8 mm	37 Kg /80 Lbs	CLEAR	x1	024777302082
ASU470387	1000 m	1 mm	60 Kg /130 Lbs	CLEAR	x1	024777318748
ASU470795	1000 m	0,48 mm	15 Kg /30 Lbs	NEON YELLOW	x1	024777302112
ASU470796	1000 m	0,64 mm	24 Kg /50 Lbs	NEON YELLOW	x1	024777318908
ASU470797	1000 m	0,80 mm	37 Kg /80 Lbs	NEON YELLOW	x1	024777318915
ASU470798	1000 m	1 mm	60 Kg /130 Lbs	NEON YELLOW	x1	024777345638

**BIG GAME**

**SUPERIOR LEADER**

Superior Leader is a state-of-the-art 100% copolymer monofilament. It offers outstanding linear strength, knot strength and high abrasion resistance. A subtle amount of stretch allows for excellent setting of hooks, but still enough to act as a 'shock absorber' during those crucial moments of the fight when the fish is under the rod tip.



Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU470499	100 m	0,50 mm	15 Kg	CLEAR	x6	024777313187
ASU470500	100 m	0,60 mm	20 Kg	CLEAR	x6	024777302266

Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU470501	100 m	0,65 mm	24 Kg	CLEAR	x6	024777302273
ASU470502	100 m	0,70 mm	27 Kg	CLEAR	x6	024777313194
ASU470503	100 m	0,80 mm	37 Kg	CLEAR	x6	024777313200
ASU470504	100 m	0,90 mm	46 Kg	CLEAR	x6	024777313217
ASU470505	100 m	1 mm	60 Kg	CLEAR	x6	024777313224
ASU470506	100 m	1,2 mm	68 Kg	CLEAR	x6	024777313231
ASU470507	100 m	1,4 mm	91 Kg	CLEAR	x6	024777313248

**BIG GAME**

**TOP SHOT PRO®**

The Sufix® Top Shot is a braided line designed and built for fishing of bluefin tuna drifting with rods in a spiral guide. This is one highly appreciated technique and the parameters of reference are now standardized. In Sufix we have therefore thought to offer a braided line optimized for the more of reel sizes used in this technique (20/25 / 30lb according to the brands of reels). The Top Shot braid, as well as being created with the best materials available, was made multicolor with color change every ten meters in order to facilitate the fisherman on positioning the rods at the correct depth... just need to count the colors!



Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU640519	900 Y (822m)	0,35 mm	36 Kg / 80 Lbs	MULTICOLOR	x6	024777720015

**BIG GAME**

**EREEL® PRO**

The ultimate in electric reel braided line, Sufix® eReel® Pro is super sensitive with advanced abrasion resistance and low stretch characteristics, crucial when deep drop fishing. Affected less by current and drift for a more accurate, straighter drop. Braided line provides super strong line for increased landings.



Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU640516	1000 Y (914m)	0,35 mm	36 Kg / 80 Lbs	CLEAR	x6	024777719996
ASU640517	1000 Y (914m)	0,40 mm	45 Kg / 100 Lbs	CLEAR	x6	024777720008

**SURF CASTING**

**LA BESTIA**

Sufix La Bestia is a good choice for a rigorous monofilament line. It has high shock strength and a smooth outer surface, which makes it ideal for casting. Sufix La Bestia utilizes the latest in polymer technologies creating a very tough abrasion resistant low diameter line. Will work on both fixed spools and multipliers.

- High shock and linear strength
- Smooth outer surface
- Abrasion-resistant



NEON ORANGE **NEW**

**NEW**



Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU640832	600m	0.65MM	30KG 65LB	NEON ORANGE	x1	024777736153

**SURF CASTING**

**TRITANIUM**

High shock strength and a smooth surface makes tritanium ideal for casting. Surf & salt water monofilament.



NEON GOLD



NEON ORANGE

Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU470468	860 m	0,40 mm	11 Kg / 24 Lbs	NEON GOLD	x3	024777317130
ASU470467	1120 m	0,35 mm	8,7 Kg / 19 Lbs	NEON GOLD	x3	024777317123
ASU470466	1520 m	0,30 mm	6,3 Kg / 14 Lbs	NEON GOLD	x3	024777317116
ASU470898	1750 m	0,28 mm	5,5 Kg / 12 Lbs	NEON GOLD	x3	024777317109
ASU471027	1905 m	0,25 mm	4,2 Kg / 9 Lbs	NEON GOLD	x3	024777722200
ASU470790	325 m	0,65 mm	30 Kg / 65 Lbs	NEON ORANGE	x3	024777317093
ASU470792	455 m	0,55 mm	20,5 Kg / 45 Lbs	NEON ORANGE	x3	024777317086
ASU470085	550 m	0,50 mm	17 Kg / 37 Lbs	NEON ORANGE	x3	024777317079
ASU470084	680 m	0,45 mm	13,7 Kg / 30 Lbs	NEON ORANGE	x3	024777317062
140650510	860 m	0,40 mm	11 Kg / 24 Lbs	NEON ORANGE	x3	024777317055
135650510	1120 m	0,35 mm	8,7 Kg / 19 Lbs	NEON ORANGE	x3	024777317048
130650510	1520 m	0,30 mm	6,3 Kg / 14 Lbs	NEON ORANGE	x3	024777317031
128650510	1750 m	0,28 mm	5,5 Kg / 12 Lbs	NEON ORANGE	x3	024777317024
ASU470122	1905 m	0,25 mm	4,2 Kg / 9 Lbs	NEON ORANGE	x3	024777684027

**SURF CASTING**

**ZIPPY SHOCK LEADER**

Zippy Shock Leader is made with copolymer nylon to absorb the initial 'shock' from casting the heaviest of leads. Designed and developed to give the biggest of casters total confidence, Zippy is the number 1 choice for anglers wanting to fish at maximum range, without the fear of 'cracking off' during the cast.



Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU471114	50m	1,20 mm	60 Kg /130 Lbs	CLEAR	x3	024777323575
ASU471115	50m	1,40 mm	68 Kg /150 Lbs	CLEAR	x3	024777323582
ASU471113	80m	1 mm	91 Kg /160 Lbs	CLEAR	x3	024777323568
ASU470497	100 m	0,4 mm	7 Kg /15 Lbs	CLEAR	x3	024777332867
ASU470889	100 m	0,45 mm	10 Kg /20 Lbs	CLEAR	x3	024777332874
ASU470378	100 m	0,5 mm	15 Kg /30 Lbs	CLEAR	x3	024777332881
ASU470890	100 m	0,55 mm	20 Kg /40 Lbs	CLEAR	x3	024777323513
ASU470379	100 m	0,6 mm	24 Kg /50 Lbs	CLEAR	x3	024777323520
ASU470380	100 m	0,7 mm	27 Kg /60 Lbs	CLEAR	x3	024777323537
ASU470381	100 m	0,8 mm	37 Kg /80 Lbs	CLEAR	x3	024777323544
ASU470382	100 m	0,9 mm	46 Kg /100 Lbs	CLEAR	x3	024777323551

RED = New 2023

**SURF CASTING**

**SHOCK MAX**

**TAPERED SURFCASTING LEADERS** These tapered leaders have been designed to absorb the casting shock and create a smooth, consistent taper and a thin, resilient connection with the mainline. With the Shock Max Tapered Surfcasting Leaders you can make pendulum casts and other casts with total confidence.



Product Number	Length	Size	Strength	Color	Pack	Barcode
ASU470358	15 m	0,16 - 0,50 mm		CLEAR	x6	024777704367
ASU470359	15 m	0,18 - 0,50 mm		CLEAR	x6	024777704374
ASU470360	15 m	0,20 - 0,57 mm		CLEAR	x6	024777704381
ASU470361	15 m	0,23 - 0,57 mm		CLEAR	x6	024777704398
ASU470362	15 m	0,26 - 0,57 mm		CLEAR	x6	024777704404
ASU471149	15 m	0,35 - 0,57 mm		CLEAR	x6	024777732681